



Indotrans®




Industrial & Agricultural Polyester Cord Neoprene Jacket V-Belts




ISO 9001:2015 Certified
Price List w.e.f. 01.06.2022

www.indotrans.in




Rec. min pulley dia. 71 dp (mm)	Belt length factor (mm)			Normal Length (inches): Inside Length (LI)
	Lp to La	Li to Lp	Li to La	

Size	Pitch Length in MM	Rate Rs.	Size	Pitch Length in MM	Rate Rs.	Size	Pitch Length in MM	Rate Rs.	Size	Pitch Length in MM	Rate Rs.
A-18	493	191	A-43	1128	289	A-68	1763	427	A-94	2424	638
A-19	519	194	A-44	1154	296	A-69	1789	434	A-95	2449	642
A-20	544	196	A-45	1179	298	A-70	1814	437	A-96	2474	643
A-21	569	197	A-46	1204	305	A-71	1839	443	A-97	2500	649
A-22	595	198	A-47	1230	310	A-72	1865	445	A-98	2525	662
A-23	620	200	A-48	1255	313	A-73	1890	449	A-99	2551	679
A-24	646	203	A-49	1281	320	A-74	1916	453	A-100	2576	684
A-25	671	204	A-50	1306	323	A-75	1941	458	A-102	2627	687
A-26	696	209	A-51	1331	326	A-76	1966	465	A-105	2703	711
A-27	722	210	A-52	1357	330	A-77	1992	470	A-107	2754	727
A-28	747	213	A-53	1382	331	A-78	2017	474	A-108	2779	733
A-29	773	215	A-54	1408	333	A-79	2043	478	A-110	2830	752
A-30	798	217	A-55	1433	334	A-80	2068	494	A-112	2881	767
A-31	823	234	A-56	1458	340	A-81	2093	502	A-116	2982	810
A-32	849	236	A-57	1484	345	A-82	2119	505	A-120	3084	830
A-33	874	241	A-58	1509	349	A-83	2144	512	A-124	3186	860
A-34	900	244	A-59	1535	352	A-84	2170	519	A-130	3338	919
A-35	925	256	A-60	1560	357	A-85	2195	524	A-136	3490	953
A-36	950	262	A-61	1585	366	A-87	2246	560	A-140	3592	972
A-37	976	265	A-62	1611	369	A-88	2271	570	A-144	3694	988
A-38	1001	267	A-63	1636	372	A-89	2297	586	A-160	4100	1091
A-39	1027	273	A-64	1662	377	A-90	2322	602	A-180	4608	1197
A-40	1052	275	A-65	1687	404	A-91	2347	610	A-210	5370	1426
A-41	1077	276	A-66	1712	407	A-92	2373	628			
A-42	1103	284	A-67	1738	409	A-93	2398	631			




Rec. min pulley dia. 112 dp (mm)	Belt length factor (mm)			Normal Length (inches): Inside Length (LI)
	Lp to La	Li to Lp	Li to La	

Size	Pitch Length in MM	Rate Rs.	Size	Pitch Length in MM	Rate Rs.	Size	Pitch Length in MM	Rate Rs.	Size	Pitch Length in MM	Rate Rs.
B-20	551	253	B-40	1059	333	B-60	1567	475	B-80	2075	641
B-21	576	262	B-41	1084	344	B-61	1592	481	B-81	2100	667
B-22	602	263	B-42	1110	348	B-62	1618	486	B-82	2126	672
B-23	627	267	B-43	1135	352	B-63	1643	490	B-83	2151	683
B-24	653	273	B-44	1161	356	B-64	1669	497	B-84	2177	689
B-25	678	280	B-45	1186	359	B-65	1694	520	B-85	2202	697
B-26	703	280	B-46	1211	377	B-66	1719	552	B-86	2227	754
B-27	729	282	B-47	1237	381	B-67	1745	560	B-87	2253	766
B-28	754	288	B-48	1262	389	B-68	1770	561	B-88	2278	771
B-29	780	293	B-49	1288	395	B-69	1796	569	B-90	2329	794
B-30	805	299	B-50	1313	399	B-70	1821	573	B-92	2380	850
B-31	830	315	B-51	1338	408	B-71	1846	584	B-94	2431	877
B-32	856	317	B-52	1364	414	B-72	1872	587	B-95	2456	889
B-33	881	317	B-53	1389	422	B-73	1897	600	B-98	2532	914
B-34	907	319	B-54	1415	430	B-74	1923	606	B-100	2583	923
B-35	932	320	B-55	1440	437	B-75	1948	609	B-102	2634	944
B-36	957	322	B-56	1465	444	B-76	1973	612	B-104	2685	960
B-37	983	323	B-57	1491	455	B-77	1999	620	B-105	2710	974
B-38	1008	325	B-58	1516	461	B-78	2024	623	B-106	2735	979
B-39	1034	329	B-59	1542	469	B-79	2050	632	B-107	2761	995




Rec. min pulley dia.	Belt length factor (mm)			Normal Length (inches): Inside Length (Li)
	Lp to La	Li to Lp	Li to La	
112 dp (mm)	26.0	43.0	69.0	

Size	Pitch Length in MM	Rate Rs.	Size	Pitch Length in MM	Rate Rs.	Size	Pitch Length in MM	Rate Rs.	Size	Pitch Length in MM	Rate Rs.
B-108	2786	1005	B-136	3497	1268	B-168	4310	1597	B-220	5631	2063
B-110	2837	1026	B-140	3599	1321	B-170	4361	1612	B-230	5885	2162
B-112	2888	1055	B-142	3650	1346	B-172	4412	1623	B-238	6088	2233
B-115	2964	1094	B-144	3701	1366	B-175	4488	1647	B-268	6850	2503
B-116	2989	1103	B-145	3726	1377	B-178	4564	1660	B-280	7155	2621
B-118	3040	1122	B-146	3751	1392	B-180	4615	1670	B-300	7663	2815
B-120	3091	1136	B-148	3802	1413	B-185	4742	1727	B-310	7917	2952
B-122	3142	1152	B-150	3853	1437	B-190	4869	1777	B-330	8425	3098
B-124	3193	1162	B-152	3929	1475	B-195	4996	1843	B-440	11219	3644
B-126	3243	1171	B-154	3955	1486	B-200	5123	1880	B-478	12184	3969
B-128	3294	1182	B-156	4005	1497	B-205	5250	1943	B-512	13048	4306
B-130	3345	1211	B-160	4107	1526	B-210	5377	1980	B-538	13708	4460
B-132	3396	1226	B-165	4234	1573	B-215	5504	2023			




Rec. min pulley dia.	Belt length factor (mm)			Normal Length (inches): Inside Length (Li)
	Lp to La	Li to Lp	Li to La	
180 dp (mm)	32.0	56.0	88.0	

Size	Pitch Length in MM	Rate Rs.	Size	Pitch Length in MM	Rate Rs.	Size	Pitch Length in MM	Rate Rs.	Size	Pitch Length in MM	Rate Rs.
C-36	970	510	C-74	1936	935	C-112	2901	1626	C-173	4450	2202
C-37	996	511	C-75	1961	942	C-113	2926	1656	C-174	4476	2210
C-38	1021	516	C-76	1986	955	C-114	2952	1661	C-175	4501	2216
C-39	1047	517	C-77	2012	964	C-115	2977	1670	C-176	4526	2227
C-40	1072	529	C-78	2037	977	C-116	3002	1678	C-178	4577	2264
C-41	1097	535	C-79	2063	997	C-117	3028	1681	C-180	4628	2287
C-42	1123	539	C-80	2088	1010	C-118	3053	1687	C-185	4755	2353
C-43	1148	547	C-81	2113	1028	C-119	3079	1691	C-190	4882	2423
C-44	1174	559	C-82	2139	1043	C-120	3104	1692	C-192	4933	2434
C-45	1199	574	C-83	2164	1056	C-122	3155	1704	C-195	5009	2479
C-46	1224	592	C-84	2190	1067	C-124	3206	1719	C-196	5034	2493
C-47	1250	600	C-85	2215	1080	C-125	3231	1733	C-200	5136	2556
C-48	1275	610	C-86	2240	1091	C-126	3256	1745	C-204	5238	2612
C-49	1301	622	C-87	2266	1106	C-128	3307	1791	C-205	5263	2622
C-50	1326	634	C-88	2291	1121	C-130	3358	1823	C-210	5390	2686
C-51	1351	646	C-89	2317	1126	C-132	3409	1852	C-215	5517	2751
C-52	1377	650	C-90	2342	1163	C-134	3460	1885	C-220	5644	2812
C-53	1402	655	C-91	2367	1205	C-135	3485	1900	C-225	5771	2868
C-54	1428	664	C-92	2393	1233	C-136	3510	1921	C-228	5847	2908
C-55	1453	671	C-93	2418	1255	C-138	3561	1949	C-230	5898	2933
C-56	1478	702	C-94	2444	1286	C-140	3612	1972	C-235	6025	3003
C-57	1504	708	C-95	2469	1307	C-142	3663	1997	C-238	6101	3045
C-58	1529	716	C-96	2494	1317	C-144	3714	2009	C-240	6152	3072
C-59	1555	729	C-97	2520	1339	C-145	3739	2019	C-245	6279	3138
C-60	1580	734	C-98	2545	1360	C-146	3764	2021	C-248	6355	3172
C-61	1605	755	C-99	2571	1379	C-148	3815	2033	C-250	6406	3191
C-62	1631	760	C-100	2596	1399	C-150	3866	2046	C-255	6533	3253
C-63	1656	768	C-101	2621	1412	C-152	3917	2063	C-258	6609	3289
C-64	1682	774	C-102	2647	1443	C-154	3968	2073	C-260	6660	3313
C-65	1707	825	C-103	2672	1461	C-156	4018	2088	C-268	6863	3421
C-66	1732	840	C-104	2698	1479	C-158	4069	2093	C-280	7168	3578
C-67	1758	848	C-105	2723	1500	C-160	4120	2113	C-285	7295	3642
C-68	1783	863	C-106	2748	1515	C-162	4171	2126	C-290	7422	3721
C-69	1809	877	C-107	2774	1536	C-164	4222	2140	C-298	7625	3818
C-70	1834	889	C-108	2799	1556	C-165	4247	2149	C-328	8387	4240
C-71	1859	900	C-109	2825	1578	C-168	4323	2163	C-358	9149	4687
C-72	1885	913	C-110	2850	1594	C-170	4374	2167	C-380	9708	5252
C-73	1910	925	C-111	2875	1606	C-172	4425	2192			




Rec. min pulley dia.	Belt length factor (mm)			Normal Length (inches): Inside Length (Li)
	Lp to La	Li to Lp	Li to La	
355 dp (mm)	40.0	79.0	119.0	

Size	Pitch Length in MM	Rate Rs.	Size	Pitch Length in MM	Rate Rs.	Size	Pitch Length in MM	Rate Rs.	Size	Pitch Length in MM	Rate Rs.
D-85	2247	2348	D-112	2924	2730	D-120	3127	2897	D-130	3381	3142
D-90	2365	2430	D-114	2975	2781	D-122	3178	2978	D-132	3432	3212
D-95	2492	2485	D-115	3000	2802	D-124	3229	2993	D-134	3483	3263
D-105	2746	2627	D-116	3025	2822	D-126	3279	3035	D-136	3533	3283
D-110	2878	2706	D-118	3076	2867	D-128	3330	3059	D-140	3635	3368



Rec. min pulley dia. 355 dp (mm)	Belt length factor (mm)			Normal Length (inches): Inside Length (Li)
	Lp to La	Li to Lp	Li to La	
	40.0	79.0	119.0	

Size	Pitch Length in MM	Rate Rs.	Size	Pitch Length in MM	Rate Rs.	Size	Pitch Length in MM	Rate Rs.	Size	Pitch Length in MM	Rate Rs.
D-144	3737	3453	D-190	4905	4749	D-250	6429	6425	D-314	8055	7979
D-150	3889	3662	D-195	5032	4885	D-255	6556	6540	D-328	8410	8321
D-158	4092	3865	D-204	5261	5143	D-260	6683	6699	D-340	8715	8612
D-160	4143	3906	D-210	5413	5316	D-268	6886	6956	D-350	8969	8903
D-162	4194	3950	D-215	5540	5430	D-270	6937	7006	D-358	9172	9110
D-168	4346	4066	D-220	5667	5558	D-280	7191	7252	D-390	9985	11151
D-173	4473	4208	D-225	5794	5673	D-285	7318	7383	D-450	11509	12828
D-175	4524	4251	D-230	5921	5861	D-290	7445	7509	D-478	12220	13605
D-180	4651	4370	D-238	6124	6125	D-298	7648	7783			
D-185	4778	4492	D-240	6175	6168	D-300	7699	7817			



Rec. min pulley dia. 500 dp (mm)	Belt length factor (mm)			Normal Length (inches): Inside Length (Li)
	Lp to La	Li to Lp	Li to La	
	53.0	92.0	145.0	

Size	Pitch Length in MM	Rate Rs.	Size	Pitch Length in MM	Rate Rs.	Size	Pitch Length in MM	Rate Rs.	Size	Pitch Length in MM	Rate Rs.
E-180	4664	7220	E-298	7661	11766	E-394	10100	15515	E-598	15281	23475
E-238	6137	9545	E-328	8423	12951	E-418	10709	16527	E-635	16221	25252
E-268	6899	9700	E-358	9185	14136	E-478	12233	18900			



Rec. min pulley dia. 50 dp (mm)	Belt length factor (mm)			Normal Length (inches): middle two nos. = Outside length (La)
	Lp to La	Li to Lp	Li to La	
	16.0	22.0	38.0	

Size	Rate Rs.	Size	Rate Rs.	Size	Rate Rs.	Size	Rate Rs.	Size	Rate Rs.
FHP 2170	99	FHP 2260	110	FHP 2340	115	FHP 2410	134	FHP 2510	155
FHP 2180	99	FHP 2270	113	FHP 2350	115	FHP 2420	134	FHP 2520	167.16
FHP 2190	106	FHP 2275	113	FHP 2355	115	FHP 2430	138	FHP 2530	167.16
FHP 2200	106	FHP 2280	113	FHP 2360	125	FHP 2440	138	FHP 2540	170.15
FHP 2210	106	FHP 2290	113	FHP 2370	127	FHP 2450	138	FHP 2550	200.00
FHP 2220	106	FHP 2300	113	FHP 2375	134	FHP 2460	146	FHP 2580	200.00
FHP 2230	110	FHP 2310	113	FHP 2380	134	FHP 2475	151	FHP 2595	200.00
FHP 2240	110	FHP 2320	115	FHP 2390	134	FHP 2480	151	FHP 2664	206.96
FHP 2245	110	FHP 2330	115	FHP 2395	134	FHP 2490	151		
FHP 2250	110	FHP 2334	115	FHP 2400	134	FHP 2500	151		



Rec. min pulley dia. 63 dp (mm)	Belt length factor (mm)			Normal Length in mm : Pitch Length (Lp)
	Lp to La	Li to Lp	Li to La	
	13.0	37.0	50.0	

Size	Rate Rs.	Size	Rate Rs.	Size	Rate Rs.	Size	Rate Rs.	Size	Rate Rs.
SPZ 00630	207	SPZ 01010	285	SPZ 01350	371	SPZ 01850	489	SPZ 02650	690
SPZ 00670	209	SPZ 01060	302	SPZ 01358	379	SPZ 01900	503	SPZ 02680	701
SPZ 00710	211	SPZ 01080	307	SPZ 01400	386	SPZ 02000	539	SPZ 02800	729
SPZ 00750	215	SPZ 01120	320	SPZ 01420	388	SPZ 02030	543	SPZ 02840	731
SPZ 00760	234	SPZ 01125	321	SPZ 01470	403	SPZ 02120	561	SPZ 03000	766
SPZ 00800	240	SPZ 01140	321	SPZ 01500	411	SPZ 02160	568	SPZ 03150	816
SPZ 00825	246	SPZ 01180	333	SPZ 01520	413	SPZ 02240	586	SPZ 03170	820
SPZ 00850	251	SPZ 01200	341	SPZ 01560	422	SPZ 02280	600	SPZ 03350	861
SPZ 00900	265	SPZ 01250	347	SPZ 01600	431	SPZ 02360	621	SPZ 03550	908
SPZ 00940	270	SPZ 01270	354	SPZ 01650	447	SPZ 02410	636		
SPZ 00950	271	SPZ 01320	359	SPZ 01700	459	SPZ 02500	647		
SPZ 01000	284	SPZ 01340	371	SPZ 01800	488	SPZ 02540	664		




Rec. min pulley dia. 90 dp (mm)	Belt length factor (mm)			Normal Length in mm : Pitch Length (Lp)
	Lp to La	Li to Lp	Li to La	
	18.0	45.0	63.0	

Size	Rate Rs.	Size	Rate Rs.	Size	Rate Rs.	Size	Rate Rs.	Size	Rate Rs.
SPA 00800	348	SPA 01090	431	SPA 01550	578	SPA 02120	767	SPA 02800	970
SPA 00825	363	SPA 01120	443	SPA 01565	603	SPA 02180	776	SPA 02900	997
SPA 00850	375	SPA 01150	452	SPA 01600	605	SPA 02200	784	SPA 03000	1027
SPA 00875	376	SPA 01180	460	SPA 01700	633	SPA 02240	803	SPA 03150	1058
SPA 00900	379	SPA 01220	477	SPA 01750	648	SPA 02280	816	SPA 03350	1132
SPA 00925	385	SPA 01250	489	SPA 01800	661	SPA 02300	818	SPA 03550	1188
SPA 00950	392	SPA 01280	492	SPA 01850	685	SPA 02360	838	SPA 03750	1254
SPA 00975	391	SPA 01320	506	SPA 01900	689	SPA 02460	872	SPA 04000	1381
SPA 01000	402	SPA 01360	525	SPA 01925	697	SPA 02500	873	SPA 04250	1457
SPA 01015	408	SPA 01400	532	SPA 01950	709	SPA 02580	897	SPA 04500	1530
SPA 01030	415	SPA 01450	546	SPA 02000	729	SPA 02650	920		
SPA 01060	423	SPA 01500	568	SPA 02060	742	SPA 02720	944		




SPB



Rec. min pulley dia.	Belt length factor (mm)			Normal Length in mm : Pitch Length (Lp)
	Lp to La	Li to Lp	Li to La	
140 dp (mm)	28.0	60.0	88.0	

Size	Rate Rs.	Size	Rate Rs.	Size	Rate Rs.	Size	Rate Rs.	Size	Rate Rs.
SPB 01250	615	SPB 01800	895	SPB 02500	1263	SPB 03550	1814	SPB 05000	2599
SPB 01260	619	SPB 01900	951	SPB 02530	1284	SPB 03750	1939	SPB 05300	2742
SPB 01320	657	SPB 02000	1010	SPB 02650	1338	SPB 03800	1947	SPB 05380	2792
SPB 01340	669	SPB 02020	1022	SPB 02680	1370	SPB 04000	2064	SPB 05600	2906
SPB 01400	691	SPB 02120	1065	SPB 02800	1425	SPB 04060	2099	SPB 05880	2946
SPB 01410	702	SPB 02150	1085	SPB 02840	1442	SPB 04250	2201	SPB 06000	3107
SPB 01500	734	SPB 02240	1132	SPB 03000	1526	SPB 04310	2228	SPB 06300	3266
SPB 01550	765	SPB 02280	1153	SPB 03150	1614	SPB 04500	2329	SPB 06700	3490
SPB 01600	785	SPB 02360	1188	SPB 03170	1622	SPB 04560	2360	SPB 07100	3692
SPB 01700	839	SPB 02410	1220	SPB 03350	1707	SPB 04750	2456	SPB 07500	3883
								SPB 08000	4139

SPC



Rec. min pulley dia.	Belt length factor (mm)			Normal Length in mm : Pitch Length (Lp)
	Lp to La	Li to Lp	Li to La	
224 dp (mm)	30.0	83.0	113.0	

Size	Rate Rs.	Size	Rate Rs.	Size	Rate Rs.	Size	Rate Rs.	Size	Rate Rs.
SPC 02000	1631	SPC 03000	2476	SPC 04500	3717	SPC 06300	5228	SPC 09500	7894
SPC 02120	1737	SPC 03150	2592	SPC 04750	3932	SPC 06700	5566	SPC 10000	8331
SPC 02240	1837	SPC 03350	2765	SPC 05000	4148	SPC 07100	5935	SPC 10600	8817
SPC 02360	1937	SPC 03550	2930	SPC 05300	4387	SPC 07500	6219	SPC 11200	9307
SPC 02500	2057	SPC 03750	3099	SPC 05480	4539	SPC 08000	6646	SPC 11800	9826
SPC 02650	2203	SPC 04000	3305	SPC 05600	4636	SPC 08500	7052	SPC 12500	10453
SPC 02800	2301	SPC 04250	3512	SPC 06000	4982	SPC 09000	7503		


3V



Rec. min pulley dia.	Belt length factor (mm)			Normal Length (Inches) : Belt No./10=Outside Length (La)
	Lp to La	Li to Lp	Li to La	
63 de (mm)	13.0	37.0	50.0	

Size	Rate Rs.	Size	Rate Rs.	Size	Rate Rs.	Size	Rate Rs.	Size	Rate Rs.
3V 195	177	3V 350	306	3V 480	373	3V 670	494	3V 1060	755
3V 250	227	3V 360	307	3V 500	387	3V 710	528	3V 1120	793
3V 270	242	3V 370	307	3V 510	399	3V 750	540	3V 1180	824
3V 280	249	3V 380	313	3V 530	423	3V 800	583	3V 1200	831
3V 300	269	3V 400	319	3V 560	428	3V 850	625	3V 1320	924
3V 315	273	3V 420	338	3V 575	437	3V 900	643	3V 1400	967
3V 320	273	3V 450	360	3V 600	459	3V 950	692	3V 1500	1040
3V 330	276	3V 470	368	3V 630	473	3V 1000	726	3V 1600	1113
								3V 1660	1157

5V



Rec. min pulley dia.	Belt length factor (mm)			Normal Length (Inches) : Belt No./10=Outside Length (La)
	Lp to La	Li to Lp	Li to La	
140 de (mm)	25.0	60.0	85.0	

Size	Rate Rs.	Size	Rate Rs.	Size	Rate Rs.	Size	Rate Rs.	Size	Rate Rs.
5V 480	677	5V 800	1129	5V 1180	1695	5V 1800	2644	5V 2650	3900
5V 500	690	5V 850	1205	5V 1250	1811	5V 1900	2768	5V 2800	4118
5V 530	744	5V 900	1296	5V 1320	1908	5V 2000	2929	5V 3000	4398
5V 600	837	5V 950	1372	5V 1400	2036	5V 2120	3099	5V 3150	4641
5V 630	882	5V 1000	1429	5V 1500	2173	5V 2240	3263	5V 3350	4923
5V 710	990	5V 1060	1537	5V 1600	2353	5V 2360	3448	5V 3450	5076
5V 750	1064	5V 1120	1618	5V 1700	2494	5V 2500	3675	5V 3750	5508

8V



Rec. min pulley dia.	Belt length factor (mm)			Normal Length (Inches) : Belt No./10=Outside Length (La)
	Lp to La	Li to Lp	Li to La	
335 de (mm)	53.0	92.0	145.0	

Size	Rate Rs.	Size	Rate Rs.	Size	Rate Rs.	Size	Rate Rs.	Size	Rate Rs.
8V 900	3770	8V 1400	5656	8V 2000	8062	8V 2800	11332	8V 4000	16195
8V 1000	4184	8V 1500	6051	8V 2120	8560	8V 3000	12132	8V 4250	17199
8V 1060	4416	8V 1600	6454	8V 2240	9060	8V 3150	12183	8V 4500	18204
8V 1120	4521	8V 1700	6860	8V 2360	9564	8V 3350	13556	8V 4750	19223
8V 1180	4750	8V 1800	7263	8V 2500	10102	8V 3550	14590	8V 5000	20226
8V 1250	5040	8V 1900	7676	8V 2650	10700	8V 3750	15168	8V 6640	26859

Terms & Conditions:

- Prices are exclusive of Goods and Service Tax (GST) at the time of billing & the prices are ex-factory.
- Prices are subject to change without notice.
- Prevailing prices at the time of delivery apply.
- All disputes are subject to Jaipur (Rajasthan) jurisdiction only.
- Intermediate size can be manufactured on request. Pricing will be on pro-rata basis provided MOQ ordered as prescribed by the Company.



Indotrans Taper Lock Pulleys

Authorised Dealer